ELSEVIER

J. Biochem. Biophys. Methods 42 (2000) 181–182

JOURNAL OF
biochemical and
biophysical
methods

www.elsevier.com/locate/jbbm

Author Index

Araki, H., see Kikuchi, J. (42) 35
Aravindakumar, C.T., see Joseph, J.M. (42) 115
Arttamangkul, S., see Chen, C.-S. (42) 137
Asakura, T., see Kikuchi, J. (42) 35

Bjørkøy, A., see Mikkelsen, A. (42) 83
Bobrovnik, S.A.
Determination the rate constants of some biexponential reactions (42) 49

Chattopadhyaya, J., see Maltseva, T. (42) 153
Chen, C.-S., Chen, W.-N.U., Zhou, M., Arttamangkul, S. and Haugland, R.P.
Probing the cathepsin D using a BODIPY FL–pepstatin A: applications in fluorescence polarization and microscopy (42) 137
Chen, W.-N.U., see Chen, C.-S. (42) 137
Chrambach, A., see Yefimov, S. (42) 65

Daniel, R., see Réat, V. (42) 97
de Graaf, J.M., see Vorstenbosch, E.L.H. (42) 1
Di Como, C.J., see Nath, K. (42) 15
D'Souza, S.F., see Melo, J.S. (42) 133
Dunn, R., see Réat, V. (42) 97

Elgsaeter, A., see Mikkelsen, A. (42) 83

Finney, J.L., see Réat, V. (42) 97
Földesi, A., see Maltseva, T. (42) 153

Goldmann, T. and Gonzalez, J.S.
DNA-printing: utilization of a standard inkjet printer for the transfer of nucleic acids to solid supports (42) 105
Gonzalez, J.S., see Goldmann, T. (42) 105
Gupta, P.D., see Waheed, A.A. (42) 125

Hahn, J., see Nath, K. (42) 15
Hasuda, K., see Kikuchi, J. (42) 35
Haugland, R.P., see Chen, C.-S. (42) 137
Holmquist, L. and Vesterberg, O.
Miniaturized direct on air sampling filter quantification of pollen allergens (42) 111

Ito, T., see Kikuchi, J. (42) 35

Jansen, K. and Richelson, E.
Detection of peptide nucleic acids in tissue extracts of treated animals by gel mobility shift assay (42) 31
Joseph, J.M. and Aravindakumar, C.T.
Determination of rate constants for the reaction of hydroxyl radicals with some purines and pyrimidines using sunlight (42) 115

Kikuchi, J., Asakura, T., Hasuda, K., Ito, T., Ohwaku, K., Araki, H. and Williamson, M.P.
An advantage for use of isotope labeling and NMR chemical shifts to analyze the structure of four homologous IgG-binding domains of staphylococcal protein A (42) 35
Kraal, B., see Vorstenbosch, E.L.H. (42) 1

Maltseva, T., Földesi, A. and Chattopadhyaya, J.
The identification of the A-type RNA helices in a 55mer RNA by selective incorporation of deuterium-labelled nucleotide residues (Uppsala NMR-window concept) (42) 153
Melo, J.S. and D'Souza, S.F.
A simple approach for the simultaneous isolation and immobilization of invertase using crude extracts of yeast and Jack bean meal (42) 133
Mikkelsen, A., Bjørkøy, A. and Elgsaeter, A.
Deconvolution can be used in electrooptic studies to correct for non-ideal electric excitation pulses only when the electric dipole moment of the studied molecules is predominantly induced (42) 83

Nath, K., Sarosy, J.W., Hahn, J. and Di Como, C.J.
Effects of ethidium bromide and SYBR® Green I on different polymerase chain reaction systems (42) 15

Ohwaku, K., see Kikuchi, J. (42) 35

Peterson, M., see Réat, V. (42) 97

S0165-022X(00)00064-6

Potapov, A.P., see Vorstenbosch, E.L.H. (42) 1

Réat, V., Finney, J.L., Steer, A., Roberts, M.A., Smith, J., Dunn, R., Peterson, M. and Daniel, R.
Cryosolvents useful for protein and enzyme studies below −100°C (42) 97
Richelson, E., see Jansen, K. (42) 31
Roberts, M.A., see Réat, V. (42) 97

Sarosy, J.W., see Nath, K. (42) 15
Smith, J., see Réat, V. (42) 97
Steer, A., see Réat, V. (42) 97

Vesterberg, O., see Holmquist, L. (42) 111
Vorstenbosch, E.L.H., Potapov, A.P., de Graaf, J.M. and Kraal, B.
The effect of mutations in EF-Tu on its affinity for tRNA as measured by two novel and independent methods of general applicability (42) 1

Waheed, A.A. and Gupta, P.D.
Estimation of submicrogram quantities of protein using the dye eosin Y (42) 125
Williamson, M.P., see Kikuchi, J. (42) 35

Yefimov, S., Yergey, A.L. and Chrambach, A.
Transfer of SDS-proteins from gel electrophoretic zones into mass spectrometry, using electroelution of the band into buffer without sectioning of the gel (42) 65
Yergey, A.L., see Yefimov, S. (42) 65

Zhou, M., see Chen, C.-S. (42) 137

ELSEVIER

J. Biochem. Biophys. Methods 42 (2000) 183

JOURNAL OF
biochemical and
biophysical
methods

www.elsevier.com/locate/jbbm

Subject Index

Allergens, (3) 111
Antigene, (1–2) 31
Antisense, (1–2) 31
Aspartyl proteases, (3) 137

Birefringence, (3) 83
Blotting, (3) 105
Brain, (1–2) 31

CDP-Star™, (3) 111
Chemical shift anisotropy, (1–2) 35
Chemiluminesence, (3) 111
Competition assay, (1–2) 1
Con A, (3) 133
Cryoenzymology, (3) 97
Cryosolvent, (3) 97

Dichroism, (3) 83
Dissociation rate constant, (1–2) 1
Domain multiplicity, (1–2) 35
DSC, (3) 97

Electric dipole moments, (3) 83
Electroeluates, (1–2) 65
Electrooptics, (3) 83
Enzyme inhibitors, (3) 137
Equilibrium dissociation constant, (1–2) 1
Ethidium bromide, (1–2) 15

$Fe(OH)^{2+}$, (3) 115
Fluorescent proteins, (1–2) 65

Grass, (3) 111

^{2}H labelling, (3) 153
His-tag, (1–2) 1
HPGE apparatus, (1–2) 65
Hybridization, (3) 105
Hydroxyl radical, (3) 115

Image processing, (3) 137
Immobilization, (3) 133
Immunoassay, (3) 111
Inhibition, (1–2) 15

Inkjet printer, (3) 105
Invertase, (3) 133
Isolation, (3) 133

Jack bean meal, (3) 133

Kirromycin resistance, (1–2) 1

Lysosomes, (3) 137

Mass spectrometry, (1–2) 65
Membranes, (3) 105
55mer RNA, (3) 153
Methanol, (3) 97

NMR, (3) 153
Nucleic acids, (3) 105

PCR, (1–2) 15
Phase change, (3) 97
Photochemical, (3) 115
Protection assay, (1–2) 1
PTFE filter, (3) 111
Purines and pyrimidines, (3) 115

Quantification, (3) 111

Rate constants, (1–2) 49
Reaction kinetics, (1–2) 49
Reaction model, (1–2) 49
Real-time scanning, (1–2) 65
Ring-current effect, (1–2) 35

Second-order rate constant, (3) 115
Selective isotope labeling, ^{1}H-NMR, (1–2) 35
Selective ^{2}H incorporation, (3) 153
Staphylococcal protein A, (1–2) 35
Structure, (3) 153
SYBR® Green I, (1–2) 15

TBA-assay, (3) 115

X-ray diffraction, (3) 97

Yeast, (3) 133

S0165-022X(00)00065-8